



ALLU SOIL IMPROVEMENT PRODUCT CATALOGUE.

allu.net

**IMPROVING MORE
THAN JUST PROFITS.**



CONTENTS.

About our company

ALLU Soil Improvement

Applications

ALLU Processor

ALLU Pressure Feeders

Accessories and options

ALLU Support



ABOUT OUR COMPANY.

ALLU designs, manufactures and sells products for adding value to customers in numerous applications for processing different kinds of materials. Typical applications include e.g. soil and waste material recycling, processing contaminated soil, transforming waste to usable material. The history of ALLU goes back for over 30 years and today over 95% of the business is done with international customers globally.

Driven by customer needs, ALLU has innovated the methods and equipment for improving the processes and operations of the customers. The serving network of ALLU consist today of own subsidiaries and a dealer network in more than 30 countries.

Our values drive us.

COMPANY VALUES



**CUSTOMERS
FIRST**



**SAFETY IN
MIND**



**FAIR PLAY AT
HEART**

33

**YEARS
EXPERIENCE**

30

**DISTRIBUTED
IN OVER 30
COUNTRIES**

100+

**ALLU DEALERS
AROUND THE
WORLD**

ALLU around the world.



HEADQUARTER

ALLU Finland Oy

Jokimäentie 1
16320 Pennala,
FINLAND
Tel: +358 3 882 140
Fax: +358 3 882 1 440
Email: info@allu.net

NORTH AMERICA

ALLU Group Inc

25 Kimberly Road, Suite A, East
Brunswick, NJ 08816
USA
Toll Free: 800-939-ALLU (2558)
Tel: +1 (201) 288-2236
Fax: +1 (201) 288-4479
Email: usa@allu.net

ALLU SALES OFFICE MIDDLE EAST

Tel: +968 9885 3091 (Oman)
+614 3499 0368 (Australia)
Email: me@allu.net

GERMANY

ALLU Deutschland GmbH

Schwartemeierstr. 23-33
D-32257 Bünde
GERMANY
Tel: +49 5223 180 150
Fax: +49 5223 180 1515
Email: deutschland@allu.net

SWEDEN

ALLU Sverige AB

Stenvretsgatan 1,
SE-749 40 Enköping,
SWEDEN
Tel: +46 (0)171-17 15 17
Email: sverige@allu.net

UNITED KINGDOM

Tel: +44 7900 090762
Email: uk@allu.net


FRANCE

ALLU France S.A.R.L.


180 ZA les Bruottées
21200 VIGNOLES,
FRANCE
Tel: +33 3 80 24 04 34
Fax: +33 3 80 24 04 36
Email: france@allu.net

ALLU SALES OFFICE CHINA


Room 607, No. 729 Tongbei
Road, Yangpu District,
200120 Shanghai, P.R. CHINA
Tel: +86 21 5888 5836
Fax: +86 21 5888 5801
Email: china@allu.net




**CIVIL
ENGINEERING**



**CONTAMINATED
SITES REMEDIATION**



**COASTAL
FACILITIES**



SOLIDIFICATION

FOUNDATION.

Bearing capacity improvement of poor-quality soils by mixing, adding binder and stabilizing.

1. Residential areas
2. Dredging and harbour construction
3. Railway and road construction

REMEDIATION.

Purifying or neutralization process by mixing and adding binder or additives to contaminated soil or waste material.

1. Liquid waste lagoons
2. Oil spill and acid tar
3. Contaminated soil

SOLIDIFICATION.

Transforming very soft soil or liquid material into solid form by mixing and adding binder.

1. Temporary roads
2. Mine tailings
3. Excavation work

APPLICATIONS.

ALLU Soil Improvement is versatile, efficient and cost-efficient material mixing and soil stabilization technology. It's equipment you'll wish you'd found sooner.



**IT REACHES.
IT MIXES.
IT PROCESSES
DRY OR WET**





ALLU

PROCESSOR.™

MODELS.



The ALLU Processor is a power mixer hydraulic attachment for excavators. This attachment converts the excavator into a powerful and versatile mixing tool, capable of penetrating and mixing a variety of difficult materials - everything from clay, silt, peat and dredged sediments to hazardous liquid waste and contaminated soil.

The ALLU Processor mixer is linkable to any type of binder feed - wet or dry.

ALLU PROCESSOR 300HD.

TECHNICAL SPECIFICATIONS	
Working depth	3 m / 10 ft
Hydraulics	Max. pressure: 350 bar (5000 psi) Max. flow: 300 l/min (79 gallon US/min) Max. power: 160 kW
Torque	Max: 12 000 Nm / drum at 350 bar
Weight	2 400 kg (5 300 lbs.)
Base machine	25 - 45 ton (55 000 - 99 000 lbs.)

ALLU PROCESSOR 500HD.

TECHNICAL SPECIFICATIONS	
Working depth	5 m / 16 ft
Hydraulics	Max. pressure: 350 bar (5000 psi) Max. flow: 300 l/min (79 gallon US/min) Max. power: 160 kW
Torque	Max: 12 000 Nm / drum at 350 bar
Weight	2 800 kg (6 000 lbs.)
Base machine	25 - 45 ton (55 000 - 99 000 lbs.)

SPECIAL FEATURES.

Patented V shaped mixing head

- Minimal "blind spot" between the auger shaped mixing drums
- Increases soil penetration capability
- Increases mixing capability
- Changeable wear parts



**IT FEEDS.
IT CONTROLS.
IT REPORTS
WITH PRECISION**





ALLU PRESSURE FEEDER.



The mobile ALLU Pressure Feeders are high capacity, tracked, intelligent feeding units for dry binders. The computer-controlled binder feed prevents any unnecessary amount of binder to be feed. This unique feature brings big cost savings and efficiency to any jobsite.

PF 7 SINGLE TANK UNIT.

TECHNICAL SPECIFICATIONS	
Weight (empty)	7 900 kg (17 400 lbs.)
Tank volume	7 m ³ (9,15 yd ³)
Max. operational pressure	8 bar (116 psi)
Ground pressure (full)	0,85 kg / cm ²
Max. feed capacity	10 m ³ (13 yd ³) / hour with 3" hose
Binder granulate specification	0 - 2 mm (0 - 0,78 inch)
Max. feed distance	50 m (165 ft.)
Feed control & reporting system	ALLU DAC.2
Hydraulics	Hydraulically operated compressor, rotary valve and process valves
Dimensions L x W x H	6054 x 3416 x 3304 mm

PF 7 + 7 DOUBLE TANK UNIT.

TECHNICAL SPECIFICATIONS	
Weight (empty)	13 900 kg (30 650 lbs.)
Tank volume	2 x 7 m ³ (2 x 9,15 yd ³)
Max. operational pressure	8 bar (116 psi)
Ground pressure (full)	0,54 kg / cm ²
Max. feed capacity	10 m ³ (13 yd ³) / hour with 3" hose
Binder granulate specification	0 - 2 mm (0 - 0,78 inch)
Max. feed distance	50 m (165 ft.)
Feed control & reporting system	ALLU DAC.2
Hydraulics	Hydraulically operated compressor, rotary valve and process valves
Dimensions L x W x H	3400 x 3281 x 3308 mm

ENGINE.

Power	96,5 kW / 2 200 rpm
Torque	516 Nm / 1 400 rpm
Fuel tank	200 l (52,8 gallons US)

COMPRESSOR.

Type	Screw compressor
Max. working pressure	7 bar (101,5 psi)
Max. pressure	8 bar (116 psi)
Min. pressure	3 bar (43,5 psi)
Output with working pressure	5,8 m ³ (76 yd ³)

ACCESSORIES AND OPTIONS.

The maximum mixing depth can be increased by adding an extension to the Processor attachment. The available extensions are easily installed or removed by “plug and play”.

PROCESSOR EXTENSIONS.

2 m EXTENSION	
Weight	770 kg (1 700 lbs.)
Length	2m (7 ft.)
Max. mixing depth 300HD + extension	5 m (16 ft.)
Max. mixing depth 500 HD + extension	7m (22 ft.)

3 m EXTENSION	
Weight	950 kg (2 100 lbs.)
Length	3m (9 ft.)
Max. mixing depth 300HD + extension	6 m (19 ft.)
Max. mixing depth 500 HD + extension	8m (26 ft.)

ALLU DAC.3 CONTROL SYSTEM.

ALLU DAC.3, is a quality control system, available as an option for the ALLU PF pressure feeder. The system, utilizing global satellite navigation (GNSS), guides the operator, saves work data and provides accurate reporting of the jobsite.





ALLU SUPPORT.

The ALLU Soil Improvement products doesn't just come with inbuilt efficiency. They also comes with unrivalled aftersales support. No matter what the issue, our team is on hand to offer all the help you need in getting the most out of your equipment. We're just a phone call or email away.

TECHNICAL SUPPORT.



Having built the unique Soil Improvement technology, there's no one better than our technical experts to offer their support. From getting started for the first time, to pushing your soil improvement products to their limits, we can freely advise. It's very unlikely that anything will go wrong with your equipment, but it's good to know we're here all the same.

TRAINING.



By providing training and sharing our information we can help to improve the skills of your workforce and advance the industry as a whole. Overseen by our highly-experienced team, we help you to achieve maximum levels of efficiency through technical improvement, new technology and enhanced operating practices.



SERVICE & MAINTENANCE.



To complement our unique soil improvement equipment, we offer a wide selection of service and maintenance procedures. Whether it's inspection or troubleshooting, the ALLU team is always happy to lend their support. And with planned preventative maintenance, customers can get all the advice needed to keep their machines fully optimised and working at maximum capacity.

REFURBISHMENT.



Why replace your equipment when you refurbish or repair it. No equipment is faultless, but sometimes it's only a small part that needs attention. A little fine-tuning here. The odd upgrade there. And that's where we'll help. At ALLU, we're all for saving our customers money. Your business is our business – and we're determined to see you right.



